NO. 7827

RR

These images are from the collection of the Library of the Jewish Theological Seminary (JTS). JTS holds the copyrights to these images. The images may be downloaded or printed by individuals for personal use only, but may not be quoted or reproduced in any publication without the prior permission of JTS.


הועתק והוכנס לאינטרנט www.hebrewbooks.org ע"י חיים תש"ע

C2399 _ C2399

FILMED FOR THE JEWISH THEOLOGICAL SEMINARY OF AMERICA

XEROX University Microfilms

RESOLUTION CHART



100 MILLIMETER

instructions Resolution is expressed in terms of the lines per millimeter recorded by a particular film under specified conditions. Numerals in chart indicate the number of lines per millimeter in adjacent "T-shaped" groupings.

In microfilming, it is necessary to determine the reduction ratio and multiply the number of lines in the chart by this value to find the number of lines recorded by the film. As an aid in determining the reduction ratio, the line above is 100 millimeters in length. Measuring this line in the film image and dividing the length into 100 gives the reduction ratio. Example: the line is 20 mm. long in the film image, and 100/20 = 5.

Examine "T-shaped" line groupings in the film with microscope, and note the number adjacent to finest lines recorded sharply and distinctly. Multiply this number by the reduction factor to obtain resolving power in lines per millimeter. Example: 7.9 group of lines is clearly recorded while lines in the 10.0 group are not distinctly separated. Reduction ratio is 5, and $7.9 \times 5 = 39.5$ lines per millimeter recorded satisfactorily. 10.0 x 5 = 50 lines per millimeter which are not recorded satisfactorily. Under the particular conditions, maximum resolution is between 39.5 and 50 lines per millimeter.

Resolution, as measured on the film, is a test of the entire photographic system, including lens, exposure, processing, and other factors. These rarely utilize maximum resolution of the film. Vibrations during exposure, lack of critical focus, and exposures yielding very dense negatives are to be avoided.

The restoration of this manuscript

aldisead annu sum

by the


Guslau Wurzweiler

Enunuation.







15 (4) d N,b £ 1 . b .



























































1. WIN 100 0 100.0












Fait Er. Englisher








E



























AUTHOR	NO.	7827	·
TITLE GEN/2A	RR		
			The state of the s
IMPRINT	4		
CALL NO. ENA 3967			
DATE MICROFILMED			
FILMED FOR THE JEWISH THEOLOGICAL SEMINARY OF AME	RICA		X
XEROX University Microfilms			